## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

#### 1 Identification

· Product identifier

· Trade name: Bar's Leaks CVT Fix

Product code: 1414

· Recommended use and restriction on use

· Recommended use: Lubricant

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

Bar's Products P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321



ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)



## 2 Hazard(s) identification

· Classification of the substance or mixture

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS08

· Signal word: Warning

· Hazard statements:

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

(Cont'd. on page 2)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

	(Cont'd	I. of page 1)	
· Componen	· Components:		
64742-55-8	Distillates (petroleum), hydrotreated light paraffinic (IP 346 < 3%; ≤ 20.5 mm²/s @	20-40%	
	[40°C)		
	♦ Asp. Tox. 1, H304		
	Trade Secret Alkyl acetamide	<1%	
	♦ Skin Sens. 1B, H317		
	Trade Secret Borate ester	<1%	
	♦ Skin Sens. 1B, H317		
104-43-8	p-Dodecylphenol	<1%	
	& Repr. 2, H361 Skin Irrit. 2, H315		
	Skin Irrit. 2, H315		

#### Additional information:

Petroluem-based ingredients pass the IP-346 assay for polycyclic aromatic compounds.

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Clean with water and soap.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Slight irritant effect on eyes.

Gastric or intestinal disorders

Nausea in case of ingestion.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Gaseous extinguishing agents

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

(Cont'd. on page 3)

Page: 3/9

## **Safety Data Sheet**

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 2)

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

#### · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Keep from heat and sources of ignition.

Keep out of reach of children.

Open and handle receptacle with care.

#### Information about protection against explosions and fires:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

- · Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

#### · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

(Cont'd. on page 4)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 3)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

### 9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Liquid

**Color:** According to product specification

· Odor: Petroleum-like · Odor threshold: Not determined.

pH-value: Not determined.
Melting point/Melting range: Not determined.
Boiling point/Boiling range: Not determined.

• **Flash point:** >93 °C (>199.4 °F)

(Cont'd. on page 5)

Page: 5/9

## **Safety Data Sheet**

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

		(Cont'd. of page
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	<1	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water):	Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic at 40 °C (104 °F):	66.3 cSt	
Other information	No relevant information available.	

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

To avoid thermal decomposition, do not overheat.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and oxidizing agents.

- · Conditions to avoid Excessive heat and contact with oxidizers.
- · Incompatible materials Oxidizers
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Hydrocarbons

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

(Cont'd. on page 6)

Page: 6/9

# **Safety Data Sheet**

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 5)

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Slight irritant effect on skin and mucous membranes.
- · On the eye: Slight irritant effect on eyes.
- · Sensitization: Sensitizing effect by skin contact is possible with prolonged exposure.
- IARC (International Agency for Research on Cancer):

Present in trace quantities.

71-43-2	benzene	1
100-41-4	ethylbenzene	2B
91-20-3	naphthalene	2B

#### NTP (National Toxicology Program):

Present in trace quantities.

71-43-2	benzene	K
91-20-3	naphthalene	R

## · OSHA-Ca (Occupational Safety & Health Administration):

Present in trace quantities.

71-43-2 benzene

### Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- ·Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Ecotoxical effects:
- Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- Additional ecological information
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No relevant information available.

#### 13 Disposal considerations

(Cont'd. on page 7)

Page: 7/9

# **Safety Data Sheet**

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 6)

- Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	Not applicable.	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

(Cont'd. on page 8)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 7) All ingredients are listed. · Proposition 65 (California) · Chemicals known to cause cancer: Present in trace quantities. 71-43-2 benzene 512-56-1 trimethyl phosphate 100-41-4 ethylbenzene 91-20-3 naphthalene Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: Present in trace quantities. 71-43-2 benzene · Chemicals known to cause developmental toxicity: Present in trace quantities. 67-56-1 methanol 7446-09-5 sulphur dioxide 71-43-2 benzene 108-88-3 toluene 107-21-1 ethylene glycol Carcinogenic categories EPA (Environmental Protection Agency): None of the ingredients are listed. · IARC (International Agency for Research on Cancer): Present in trace quantities. 71-43-2 benzene 100-41-4 ethylbenzene 2B 91-20-3 naphthalene 2B NIOSH-Ca (National Institute for Occupational Safety and Health): Present in trace quantities. 71-43-2 benzene

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision November 13, 2017 / -

Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: 13 November 2017 Revision: 03 February 2022

Trade name: Bar's Leaks CVT Fix

(Cont'd. of page 8)

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com