



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## SAFETY DATA SHEET

# Bar's Leaks Trans Fix

### SECTION 1: IDENTIFICATION

#### 1.1. Product identifier

▼ *Trade name:* Bar's Leaks Trans Fix  
▼ *Product no.:* 1415

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Lubricant

*Uses advised against:* None known.

#### 1.3. Details of the supplier of the safety data sheet

▼ *Company and address:* **Bar's Products**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.barsleaks.com

▼ *E-mail:* support@barsleaks.com  
*SDS date:* 30 January 2024

#### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

### SECTION 2: HAZARD(S) IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Not classified according to HCS (29 CFR 1910.1200)

#### 2.2. Label elements

*Hazard pictogram(s):* Not applicable.

*Signal word:* Not applicable.

*Hazard statement(s):*

*Precautionary statement(s):*

*General:* -

*Prevention:* -



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

*Response:* -

*Storage:* -

*Disposal:* -

*Additional labelling:* Not applicable.

**2.3. Other hazards**

*Additional warnings:* This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated light paraffinic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.]	CAS No.: 64742-55-8	5-10%	Asp. Tox. 1, H304	[19]
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;Baseoil - unspecified;[A complex combination of hydrocarbons obtained	CAS No.: 72623-86-0	3-5%	Asp. Tox. 1, H304	[19]



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

<p>by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocabons.]</p>				
<p>p-dodecylphenol</p>	<p>CAS No.: 104-43-8</p>	<p>&lt;0.05%</p>	<p>Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360</p>	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

**SECTION 4: FIRST-AID MEASURES**

**4.1. Description of first aid measures**

*General information:*

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

<i>Inhalation:</i>	In case of discomfort: bring the person into fresh air.
<i>Skin contact:</i>	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
<i>Eye contact:</i>	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) and continue until irritation stops. Remove contact lenses.
<i>Ingestion:</i>	Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.
<i>Burns:</i>	Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

None known.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**Information to medics**

Bring this safety data sheet or the label from this product.

**SECTION 5: FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

Fire fighters should wear appropriate personal protective equipment.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

*Recommended storage material:*

Always store in containers of the same material as the original container.

*Liquid class:*

Combustible Liquid / Class IIIB (NFPA 30)

*Storage temperature:*

Tightly closed container  
Away from heat.  
Protect from sunlight.  
Keep in properly labeled containers.  
Keep out of the reach of children.

*Incompatible materials:*

Oxidizing agents

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

No substances are listed with a permissible exposure limit (ref: 29 CFR 1910.1000 TABLE Z-1)

**8.2. Exposure controls**

Apply general control to prevent unnecessary exposure

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Occupational exposure limits have not been defined for the substances in this product.

*Appropriate technical measures:*

Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

Wash hands after use.

*Measures to avoid environmental exposure:*

No specific requirements.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## Individual protection measures, such as personal protective equipment

*Generally:*

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

*Respiratory Equipment:*

No specific requirements


*Skin protection:*

No specific requirements.

*Hand protection:*

No specific requirements.

*Eye protection:*

Type	Standards	
Safety glasses with side shields.	EN166	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:*

Liquid

*Colour:*

Amber

*Odour:*

Petroleum-like

*Odour threshold (ppm):*

Testing not relevant or not possible due to the nature of the product.

*pH:*

Testing not relevant or not possible due to the nature of the product.

*Density (g/cm<sup>3</sup>):*

Testing not relevant or not possible due to the nature of the product.

-

*Relative density:*

8.835

*Kinematic viscosity:*

56-90

### Phase changes

*Melting point (°F):*

Testing not relevant or not possible due to the nature of the product.

*Softening point/range (waxes and pastes) (°F):*

Does not apply to liquids.

*Boiling point (°F):*

Testing not relevant or not possible due to the nature of the product.

*Vapour pressure:*

Testing not relevant or not possible due to the nature of the product.

*Relative vapour density:*

Testing not relevant or not possible due to the nature of the product.

*Decomposition temperature (°F):*

Testing not relevant or not possible due to



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

### Data on fire and explosion hazards

<i>Flash point (°F):</i>	430
<i>Flammability (°F):</i>	Not applicable
<i>Auto-ignition temperature (°F):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Explosion limits (% v/v):</i>	Testing not relevant or not possible due to the nature of the product.

### Solubility

<i>Solubility in water:</i>	Insoluble
<i>n-octanol/water coefficient (LogKow):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Solubility in fat (g/L):</i>	Testing not relevant or not possible due to the nature of the product.

### 9.2. Other information

<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	Non-oxidising

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Excessive heat

### 10.5. Incompatible materials

Strong acids  
Oxidizing agents

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**Serious eye damage/irritation**

Based on available data, the classification criteria are not met.

**Respiratory sensitisation**

Based on available data, the classification criteria are not met.

**Skin sensitisation**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Long term effects**

None known.

**Other information**

None known.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

**12.1. Toxicity**

No data available.

**12.2. Persistence and degradability**

Based on available data, the classification criteria are not met.

**12.3. Bioaccumulative potential**

Based on available data, the classification criteria are not met.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)**

None of the components are listed





Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	<b>14.1 UN / ID</b>	<b>14.2 UN proper shipping name</b>	<b>14.3 Hazard class(es)</b>	<b>14.4 PG*</b>	<b>14.5 Env**</b>	<b>Other information:</b>
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to DOT, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. U.S. Federal regulations**

*TSCA (the non-confidential portion):*

Distillates (petroleum), hydrotreated light paraffinic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] is listed

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating light vacuum gas oil and heavy vacuum gas oil with hydrogen in the presence of a catalyst in a two stage process with dewaxing being



carried out between the two stages. It consists predominantly of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil having a viscosity of approximately 15cSt at 40 °C. It contains a relatively large proportion of saturated hydrocabons.] is listed  
p-dodecylphenol is listed

*Clean Air Act:*

None of the components are listed

*EPCRA Section 302:*

None of the components are listed

*EPCRA Section 304:*

None of the components are listed

*EPCRA section 313:*

None of the components are listed

*CERCLA:*

None of the components are listed

**State regulations**

*California / Prop. 65:*

None of the components are listed

*Massachusetts / Right To Know Act:*

Distillates (petroleum), hydrotreated light paraffinic;Baseoil - unspecified;[A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] is listed

*New Jersey / Right To Know Act:*

None of the components are listed

*New York / Right To Know Act:*

None of the components are listed

*Pennsylvania / Right To Know Act:*

None of the components are listed

**15.4. Restrictions for application**

No special.

**15.5. Demands for specific education**

No specific requirements.

**15.6. Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**15.8. Sources**

OSHA Hazard Communication Standard (29 CFR 1910.1200)

**SECTION 16: OTHER INFORMATION**



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

### **Full text of H-phrases as mentioned in section 3**

H304, May be fatal if swallowed and enters airways.  
H314, Causes severe skin burns and eye damage.  
H318, Causes serious eye damage.  
H360, May damage fertility or the unborn child.

### **The full text of identified uses as mentioned in section 1**

None known.

### **Abbreviations and acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

In accordance with HCS (29 CFR 1910.1200(g)), a safety data sheet is not required for this



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

product. This safety data sheet has been created on a voluntary basis to distribute relevant information.

**▼ The safety data sheet is validated by**

NL

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en